
uni-fit core

SIMPLE. SMART. SECURE.



GALVANISED STEEL RAILING SYSTEMS

Robust and reliable galvanised steel handrail solutions designed for strength, durability and everyday performance.

2026



CUP + BOLT

CODE	DESCRIPTION	SIZE
UFCUP-25	Cup with Bolt	25NB
UFCUP-32	Cup with Bolt	32NB
UFCUP-40	Cup with Bolt	40NB
UFCUP-50	Cup with Bolt	50NB



ONE WAY RING

CODE	DESCRIPTION	SIZE
UFR1-25	One Way Ring	25NB
UFR1-32	One Way Ring	32NB
UFR1-40	One Way Ring	40NB
UFR1-50	One Way Ring	50NB



TWO WAY FIXED RING

CODE	DESCRIPTION	SIZE
UFR2-32	Two Way Fixed Ring	32NB
UFR2-40	Two Way Fixed Ring	40NB
UFR2-50	Two Way Fixed Ring	50NB



TWO WAY SPLIT RING

CODE	DESCRIPTION	SIZE
UFSR2P-40	Two Way Split Ring (2 Piece) - 40mm	40NB
UFSR2P-50	Two Way Split Ring (2 Piece) - 50mm	50NB





WALL BRACKET GALVANISED

CODE	DESCRIPTION	SIZE
UFWB	Wall Bracket	Suits 32/40/50NB
UFWB-BLACK	Wall Bracket Black	Suits 32/40/50NB



RAIL PLATE

CODE	DESCRIPTION	SIZE
UFPR	Rail Plate	Suits 32/40/50NB



OVAL FLANGE

CODE	DESCRIPTION	SIZE
OPF-40	Oval Pipe Flange	40NB
OPF-32	Oval Pipe Flange	32NB
OPF-25	Oval Pipe Flange	25NB



ROUND FLANGE

CODE	DESCRIPTION	SIZE
RPF-40	Round Pipe Flange	40NB
RPF-32	Round Pipe Flange	32NB
RPF-25	Round Pipe Flange	25NB





ELBOW JOINER

CODE	DESCRIPTION	SIZE
UF J90-25	90 ° Elbow Joiner	25NB
UF J90-32	90 ° Elbow Joiner	32NB
UF J90-40	90 ° Elbow Joiner	40NB
UF J90-50	90 ° Elbow Joiner	50NB



STRAIGHT JOINER

CODE	DESCRIPTION	SIZE
UFJ180-25	Straight Joiner	25NB
UFJ180-32	Straight Joiner	32NB
UFJ180-40	Straight Joiner	40NB
UFJ180-50	Straight Joiner	50NB



ELBOW JOINER - SERIES 3

CODE	DESCRIPTION	SIZE
S3UFJ90IN-25	90 ° Elbow Joiner - Series 3	25NB
S3UFJ90IN-32	90 ° Elbow Joiner - Series 3	32NB
S3UFJ90IN-40	90 ° Elbow Joiner - Series 3	40NB
S3UFJ90IN-50	90 ° Elbow Joiner - Series 3	50NB



STRAIGHT JOINER - SERIES 3

CODE	DESCRIPTION	SIZE
S3UFJ180IN-25	Straight Joiner - Series 3	25NB
S3UFJ180IN-32	Straight Joiner - Series 3	32NB
S3UFJ180IN-40	Straight Joiner - Series 3	40NB
S3UFJ180IN-50	Straight Joiner - Series 3	50NB





ROUND BASEPLATE

CODE	DESCRIPTION	SIZE
UFBP-32	Base Plate with Welded Cup	32NB
UFBP-40	Base Plate with Welded Cup	40NB
UFBP-50	Base Plate with Welded Cup	50NB



SIDE MOUNT BASEPLATE

CODE	DESCRIPTION	SIZE
UFSBP-40	Side Mount Base Plate	40NB



ADJUSTABLE BASEPLATE

CODE	DESCRIPTION	SIZE
UFABP-40	Adjustable Base Plate	40NB



SQUARE BASEPLATE

CODE	DESCRIPTION	SIZE
UFSQBP-50	Square Baseplate	50X50mm





FLAT BASE STANCHION

CODE	DESCRIPTION	SIZE
FBSG40-1	Flat Base Stanchion	40NB
FBSG32-1	Flat Base Stanchion	32NB



CORNER BASE STANCHION

CODE	DESCRIPTION	SIZE
CBSG40-1	Corner Base Stanchion	40NB
CBSG32-1	Corner Base Stanchion	32NB



ANGLED BASE STANCHION

CODE	DESCRIPTION	SIZE
ABSG40-1	Angled Base Stanchion	40NB
ABSG32-1	Angled Base Stanchion	32NB



OFFSET SIDE MOUNT STANCHION


CODE	DESCRIPTION	SIZE
OSSG40-1	Offset Sidemount Stanchion	40NB
OSSG32-1	Offset Sidemount Stanchion	32NB





BOTTOM CLOSURE BEND

CODE	DESCRIPTION	SIZE
BCB35-36	32NB Bottom Closure Bends - 36 °	350 x 285mm
BCB40-36	40NB Bottom Closure Bends - 36 °	350 x 285mm



TOP CLOSURE BEND

CODE	DESCRIPTION	SIZE
TCB35-36	32NB Top Closure Bends - 36°	350 x 284mm
TCB40-36	40NB Top Closure Bends - 36 °	350 x 284mm



90° CLOSURE BEND


CODE	DESCRIPTION	SIZE
UFCB35-90	32NB Closure Bends - 90 °	350 x 275mm
UFCB40-90	40NB Closure Bends - 90 °	350 x 275mm



90° RAIL BEND

CODE	DESCRIPTION	SIZE
RB30-90	90 ° Rail Bend	25NB
RB37-90	90 ° Rail Bend	32NB
RB40-90	90 ° Rail Bend	40NB





1500 RAIL BEND

CODE	DESCRIPTION	SIZE
RB1537-36	32NB Rail Bends - 36 °	1500 x 300mm
RB1540-36	40NB Rail Bends - 36 °	1500 x 300mm




300 RAIL BEND

CODE	DESCRIPTION	SIZE
RB37-36	32NB Rail Bends - 36 °	375 x 375mm
RB40-36	40NB Rail Bends - 36 °	375 x 375mm



WELD ON SAFETY END

CODE	DESCRIPTION	SIZE
UFSE-32NB	Weld On Safety End	32NB
UFSE-40NB	Weld On Safety End	40NB



SAFETY BEND

CODE	DESCRIPTION	SIZE
SRB32-2	Safety Rail Bend - 32NB	2000mm L
SRB40-2	Safety Rail Bend - 40NB	2000mm L






VERTICAL BAR BARRIER BIKE POST

CODE	DESCRIPTION	SIZE
VBEBP-40	Vertical Bar Barrier End Bike Post - 40NB	1400mm H
VBMBP-40	Vertical Bar Barrier Mid Bike Post - 40NB	1400mm H



VERTICAL BAR BARRIER POST

CODE	DESCRIPTION	SIZE
VBEP-40	Vertical Bar Barrier End Post - 40NB	1100mm H
VBMP-40	Vertical Bar Barrier Mid Post - 40NB	1100mm H



VERTICAL BAR PEDESTRIAN BARRIER

CODE	DESCRIPTION	SIZE
VBPB-2	Vertical Bar Pedestrian Barrier - 40NB	2000 x 1012mm



ANGLED VERTICAL PEDESTRIAN BARRIER

CODE	DESCRIPTION	SIZE
AVBPB-2	Angled Vertical Pedestrian Barrier - 0-37 ° - 40NB	2000 x 1012






PLASTIC CAPS

CODE	DESCRIPTION	SIZE
UFPCAP-25	Round Plastic Cap Black	25NB
UFPCAP-32	Round Plastic Cap Black	32NB
UFPCAP-40	Round Plastic Cap Black	40NB
UFPCAP-50	Round Plastic Cap Black	50NB



STEEL CAPS

CODE	DESCRIPTION	SIZE
UFMCAP-25	Round Metal Cap	25NB
UFMCAP-32	Round Metal Cap	32NB
UFMCAP-40	Round Metal Cap	40NB
UFMCAP-50	Round Metal Cap	50NB



KICKPLATE

CODE	DESCRIPTION	SIZE
UFFKP-30	Folded Kick Plate	100mm H x 3000mm L
UFAKP-30	Aluminum Flat Bar Kick Plate	100 x 6mm



KICKPLATE BRACKET

CODE	DESCRIPTION	SIZE
UFKBP	Kick Plate Bracket	100 x 100mm
UFKJP-10	Kick Plate Joining Bracket	100 x 100mm





SAFETY GATES

CODE	DESCRIPTION	SIZE
PSGG-90	Pedestrian Swing Gate - Galvanised	900mm
PSGP-90	Pedestrian Swing Gate - Powdercoated	900mm



HINGE KITS

CODE	DESCRIPTION	SIZE
SCHK	Soft Close Hinge Kit	100 x 50
TCHK	Tru- Close Hinge Kit	-

Visit us online

Stay up to date with the latest product innovations, industry news, and updates from **Uni-Fit**. Discover our full range of high-quality couplings and connectors. Visit us online today at **www.uni-fit.com.au.**





CODE	DESCRIPTION	SIZE
GPPS-750	Single Guard-PRO Post - Galvanised	750mm
GPPD-1000	Double Guard-PRO Post - Galvanised	1000mm
GPR-1318	Guard-PRO Rail - Galvanised	1318mm L
GPR-2318	Guard-PRO Rail - Galvanised	2318mm L
GPR-3318	Guard-PRO Rail - Galvanised	3318mm L
GPR-4318	Guard-PRO Rail - Galvanised	4318mm L




GUARD-PRO


Verge Guard-PRO™ - Tested & Certified

The Verge Guard-PRO™ system has been independently tested and certified to AS/NZS1170.1.2002 Section 3.8. We have successfully met the performance requirements for traffic areas as follows:

- AS/NZS 1170.1 Light Duty Traffic (30kN) - Single Rail
- AS/NZS 1170.1 Medium Duty Traffic (40kN) - Double Rail



Customisable! Curved rails available to suit your requirements.



CODE	DESCRIPTION
GPUC	Guard-PRO Universal Corner
GPBE-G	Guard-PRO Bullnose End - Galvanised
GPBE-P	Guard-PRO Bullnose End - Powdercoat Yellow
GPEC	Guard-PRO Rail End Cap
GPHB	Guard-PRO Handrail Bracket - Galvanised
GPHP	Guard-PRO Handrail Pipe - Galvanised
GPFM16-50	Guard-PRO Post Fixings - Bolt/Nut/Washer M16x50
GPFM16-32	Guard-PRO Rail Fixings - Bolt/Nut/Washer M16x32
GPAM16-125	Guard-PRO Anchor (3 per Post) M16x125



GUARD-PRO ACCESSORIES

Guard-PRO - Accessories




Guard-PRO
Bullnose End



Guard-PRO
Universal Corner



Guard-PRO
Handrail Bracket




uni-fitcore

Innovative Handrail Fittings

Uni-Fit provides a comprehensive range of handrail fittings and guardrail, offering a compliant & simple alternative for every fencing and handrail project. Uni-Fit fittings streamline installation with their unique multi-directional adjustment capabilities, allowing quick no-weld fitment onsite to suit any stair angle or ground configuration!


Our expanded product range ensures we have the right component for every handrail or guardrail application. Ideal for applications such as balustrades, stair rails, bike rails, fall/edge protection and much more! Supported by a 5 Year Warranty, the Uni-Fit range is engineered for durability, ease of use, and cost-effectiveness.

Uni-Fit is committed to maintaining large stock holdings across two main warehouses (Melbourne & Sydney) and our standard stock range is complemented by our cutting edge, automated manufacturing facility to ensure we have a solution for every application!









UNI-FIT MANUFACTURING

The Uni-Fit range of fittings is sourced from globally renowned manufacturers with a focus on stringent quality control and state-of-the-art production technologies! However, we complement the Uni-Fit components with our in-house steel pipe manufacturing capabilities allowing us to supply a solution for every application! By leveraging robotic manufacturing techniques and continuous process improvements, we deliver durable, cost-effective solutions that meet the evolving demands of our customers. We're continuously designing new products and developing smart and effective solutions that keep us at the forefront of the handrail industry



NSW Location



VIC Location

Why Uni-Fit?

Uni-Fit is a trusted brand with over 30 Years experience in supplying quality fittings to the handrail industry. As a family owned brand, we offer reliable expertise and premium products that are easy to install, compliant with relevant Australian Standards and highly versatile. We service a comprehensive range of industries including Mezzanines & Raised Work Platforms, Industrial Handrails, Public Infrastructure, Parks and Gardens, Home Modifications for Disabled Access, Local Councils, Utilities, Fencing and much more!





Uni-Fit

1800 868 544

sales@uni-fit.com.au

www.uni-fit.com.au

NSW Office: 3 Kelham Place
Glendenning NSW 2761

VIC Office: 18 Centofanti Place
Thomastown VIC 3074

uni-fit core